

Plastic Filter Housings

Industrial Plastic Housings

Pentair plastic filter housings are the accepted world standard for high quality, performance and economy. Offering the most comprehensive range of vessels, they are constructed for long life, durability, ease of use and are available in a variety of materials for specialist applications.

Meeting internationally recognised technical standards, Pentair test continually throughout production, enabling them to guarantee their products for the recommended application. To ensure quality is not compromised, only virgin materials are used during manufacturing with polypropylene and styrene-acrylonitrile (SAN) vessels being FDA compliant and meeting BS6920 and WRAS standards.

All housings have British threads (BT) unless indicated and come with Buna-N O-rings as standard.



PENTAIR



Recognised worldwide for their high quality, performance and economy



**Polypropylene (Opaque)
Polypropylene SAN (Clear)**



52°C



8.6 bar



Plastic Filter Housings

20" Pentair Plastic Housings




1/2", 3/4" and 1" ports



PED 97/23/EC

Flow rates

When using these housings, the following flow rates can be achieved. Figures based on 20µm cartridge at 2psi Δp



Housing options



3G head with mounting bosses



3G head with integral bracket



3G head with meter mount



Pressure release button



Standard head with valve-in-head

Accessories

Brackets



UB1-MHK11 / MCI-AK11

Spanners



SW2

O-rings



Buna-N / EPDM / Silicone / Viton

Gauges



PG1 / PG2 / PD1 / PD2

Product information

Product Code	Description	Part No.	Box Quantity	Weight (kg)
NO20SLBL1/2"W/PRBT	No.20 Slimline blue, 1/2", with pressure release	158205*	8	14
NO20SLBL1/2"W/O/PRBT	No.20 Slimline blue, 1/2", without pressure release	158205*	8	14
NO20BL3/4"W/PRBTMB	No.20 blue, 3/4", with pressure release, mounting bosses	150104	8	17
NO20BL3/4"W/O/PRBTMB	No.20 blue, 3/4", without pressure release, mounting bosses	150105	8	17
NO20BL3/4"BT/VIH/W/PR	No.20 blue, 3/4", valve-in-head with pressure release	150201	8	18
NO20BL1"W/PRBTMB	No.20 blue, 1", with pressure release, mounting bosses	1501041	8	17
NO20BL1"W/O/PRBTMB	No.20 blue, 1", without pressure release, mounting bosses	1501051	8	17
NO203GSTBK/BL3/4"BTMB/W/PR	No.20 3G blue, 3/4", mounting bosses, with pressure release	150545	8	17
NO203GSTBK/BL3/4"BTMB	No.20 3G blue, 3/4", mounting bosses, without pressure release	150549	8	17
NO203GSTBK/BL3/4"BTIB/W/PR	No.20 3G blue, 3/4", integral bracket, with pressure release	150552	8	17
NO203GSTBK/BL3/4"BTIM/W/PR	No.20 3G blue, 3/4", integral bracket, meter mount, with pressure release	150577	8	17
NO20BLEOWL	No.20 blue bowl	152013	8	14
NO203GBOWL	No.20 3G blue bowl	153200*	8	14
NO203GSTBL/CL3/4"BTMB/W/PR	No.20 3G clear, 3/4", mounting bosses, with pressure release	150561	8	19
NO203GSTBL/CL3/4"BTIB/W/PR	No.20 3G clear, 3/4", integral bracket, with pressure release - black head	8	19	
NO203GSTBK/CL3/4"BTIM/W/PR	No.20 3G clear, 3/4", integral bracket, meter mount, with pressure release - black head	8	19	
NO203GCBOWL	No.20 3G clear bowl	153195	8	16

* NSF listed

10" Pentair Plastic Housings


Filter Housings



PED 97/23/EC

Flow rates

When using these housings, the following flow rates can be achieved. Figures based on 20µm cartridge at 2psi Δp



Housing options



Accessories

Brackets



UB1-VIHKIT / MC1-AKIT

Spanners



SW2

O-rings



Buna-N / EPDM / Silicone / Viton

Gauges



PG1 / PG2 / PD1 / PD2

Product Information

Product Code	Description	Part No.	Box Quantity	Weight (kg)
NO10BL3/4"W/PRBTMB	No.10 blue, ¾", with pressure release, mounting bosses	150102*	12	18
NO10BL3/4"W/PRBTMB	No.10 blue, ¾", without pressure release, mounting bosses	150103*	12	18
NO10BL3/4"BTVIHW/PR	No.10 blue, ¾", valve-in-head with pressure release	150130	12	18
NO10BL1"W/PRBTMB	No.10 blue, 1", with pressure release, mounting bosses	1501021	12	18
NO10BL1"W/PRBTMB	No.10 blue, 1", without pressure release, mounting bosses	1501031	12	18
NO103GSTBK/BL3/4"BTMBW/PR	No.10 3G blue, ¾", mounting bosses, with pressure release	150543	12	18
NO103GSTBK/BL3/4"BTMBW/PR	No.10 3G blue, ¾", integral bracket, with pressure release	150551	12	18
NO103GSTBK/BL3/4"BTMBW/PR	No.10 3G blue, ¾", integral bracket, meter mount, with pressure release	150575	12	18
NO103GHEAD	No.10 3G head only in ¾", with or without pressure release / integral brackets		12	5
NO103GBOWL	No.10 3G blue bowl	153197*		15
NO10HEAD	No.10 head only in ¾" or 1", with or without pressure release		12	5
NO10BLBOWL	No.10 blue bowl	153001	12	15
NO10CL3/4"W/PRBTMB	No.10 clear, ¾", with pressure release, mounting bosses	150106	12	22
NO10CL3/4"W/PRBTMB	No.10 clear, ¾", without pressure release, mounting bosses	150096	12	22
NO10CL3/4"BTVIHW/PR	No.10 clear, ¾", valve in head with pressure release	150185	12	22
NO10CL1"W/PRBTMB	No.10 clear, 1", with pressure release, mounting bosses	1501061	12	22
NO103GSTBL/CL3/4"BTMBW/PR	No.10 3G clear, ¾", mounting bosses, with pressure release	150559	12	22
NO103GSTBL/CL3/4"BTMBW/PR	No.10 3G clear, ¾", integral bracket, with pressure release - black head		12	22
NO103GSTBL/CL3/4"BTMBW/PR	No.10 3G clear, ¾", integral bracket, meter mount with pressure release - black head		12	22
NO10CBOWL	No.10 clear bowl	153128	12	15
NO103GCBOWL	No.10 3G clear bowl	153194	12	15

* NSF listed

